

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34	bisphenol and molten and (low or lower or lowered or reduced) near5 color and quinone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:24
L2	4	copolycarbonate and bisphenol and molten and (low or lower or lowered or reduced) near5 color and quinone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:27
L3	2	copolycarbonate and bisphenol and molten and (low or lower or lowered or reduced) near5 color and quinone near100 (adding or added or addition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:27
L4	2	copolycarbonate and bisphenol and molten and (low or lower or lowered or reduced) near5 color and quinone near10 (adding or added or addition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:27
L5	2	polycarbonate and bisphenol and molten and (low or lower or lowered or reduced) near5 color and quinone near10 (adding or added or addition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:27
L6	2	polycarbonate and bisphenol and molt\$4 and (low or lower or lowered or reduced) near5 color and quinone near10 (adding or added or addition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:27
L7	2	polycarbonate and bisphenol and molt\$4 and (low or lower or lowered or reduced) near10 color and quinone near10 (adding or added or addition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:28
L8	2	polycarbonate and bisphenol and molt\$4 and (low or lower or lowered or reduced) near10 color and quinone\$5 near10 (adding or added or addition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:28

L9	2	polycarbonate and bisphenol and molt\$4 and (low or lower or lowered or reduced) near10 color and quinone\$5 near100 (adding or added or addition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:43
L11	73	copolycarbonate and (low or lower or lowered or reduced) near1 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:44
L12	73	copolycarbonate and (low or lower or lowered or reduced) near1 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:46
L13	10	copolycarbonate and (reduced) near1 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:46
L14	6	copolycarbonate and (low or lower or lowered or reduced) near1 color and (additon or adding or add\$4) near catalyst	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:47
L15	14	copolycarbonate and (low or lower or lowered or reduced) near1 color and (additon or adding or add\$4) near4 catalyst	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:47
L16	10	copolycarbonate and (low or lower or lowered or reduced) near1 color and (additon or adding or add\$4) near4 catalyst and molt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:47
L17	4	copolycarbonate and bisphenol and molten and (low or lower or lowered or reduced) near5 color and quinone and (add\$4 near4 catalyst)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:50

L18	4	copolycarbonate and bisphenol and molten and (low or lower or lowered or reduced) near5 color and quinone and (add\$4 near4 catalyst) and color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:50
-----	---	---	---	----	----	------------------

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) ^{New!} [more »](#)

bisphenol molten and (low or lower or lower

[Advanced Search](#)
[Preferences](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)
The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Web Results 21 - 30 of about 119 for **bisphenol molten and (low or lower or lowered or reduced) color qu**

29 CFR PART 1915

(iii) Stripping of finishes shall be conducted using **low** abrasion pads at speeds **lower** than 300 rpm and wet methods. (iv) Burnishing or dry buffing may be ...

www.washingtonwatchdog.org/documents/cfr/title29/part1915.html - 513k - [Cached](#) - [Similar pages](#)

[PDF] 3897-prelims 1..16

File Format: PDF/Adobe Acrobat - [View as HTML](#)

reduced-activity enzyme complex formed at **low** temperatures, and that this ...
with higher **color** quality because of the **lower** temperatures associated with ...

www.oup.com/pdf/0195154835_combined.pdf - [Similar pages](#)

[PDF] Part 1915 - Occupational Safety and Health Standards for Shipyard ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the **lower** explosive limit of a flammable or combustible substance. ... **colors**.
In order to compensate for the **low** retardation, a compensator is ...

wbdg.org/ccb/OSHA/1915.pdf - [Similar pages](#)

Incorporation of General Industry Safety and Health Standards ...

Example: To determine the **lower** explosive limits of the most common solvents used
... The surface area of tanks can frequently be **reduced** and better control ...

www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13309 - 1694k - [Cached](#) - [Similar pages](#)

[PDF] Untersuchung und Optimierung der Abwasserreinigung zur ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the GIT were in the same range or **lower** than the 50 % minimum inhibitory ...
In particular, the **color** of the wastewater was significantly **reduced**. ...

www.iswa.uni-stuttgart.de/awt/files/Schlussbericht_M1.pdf - [Similar pages](#)

[PDF] Profile of the Rubber and Plastics 2nd Edition

File Format: PDF/Adobe Acrobat - [View as HTML](#)

no longer compete favorably against **lower** cost producers in many third-country
markets. ... microwave ovens, or various **molten** and fluidized bed units. ...

www.epa.gov/compliance/resources/publications/assistance/sectors/notebooks/rubplasn.pdf - [Similar pages](#)
[[More results from www.epa.gov](#)]

zymurgy AND-OR zymotechnical AND-circuit zymosis AND/OR zymophore ...

... EBDCIC two-course EBM two-control EC two-**colour** ECB two-**color** ECC two-circuit
... **lower**-side-band entropionize **lower**-level entropy **lower** entry **low**-water ...

angelos.info.kanagawa-u.ac.jp/tgl/Lecture/DataforExp/wordE100KR2.dat - 1182k - [Cached](#) - [Similar pages](#)

[PDF] Derwent

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The insert can be mass produced at **low** cost and ... since the total weight of the lens
is **reduced**. ... compositions have **lowered** threshold voltage and **lowered** viscosity ...

thomsonscientific.jp/products/itp/pdf/mechan/ijmeopt08.pdf - Supplemental Result - [Similar pages](#)

Rezumate

Also, the samples with symetric and aliphatic chains (HDI) posses **lower** ...
such as :a **low** dropping point, **reduced** working life, an inadequate **low** ...
www.cael.pub.ro/cicic/rezumate.htm - 513k - [Cached](#) - [Similar pages](#)

 **NOTE: This publication, developed to assist residential ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. iii **NOTE: This publication, developed to assist residential construction**
employers in providing safe and healthful workplaces ...

198.17.175.68/Publications/scor1926.pdf - Supplemental Result - [Similar pages](#)

◀ Goooooooooooooogle ▶


Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [New!](#) [more »](#)

bisphenol molten and (low or lower or lowered or reduced) color quinone

[Search](#)

[Advanced Search](#)
[Preferences](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)
The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 11 - 20 of about 119 for **bisphenol molten and (low or lower or lowered or reduced) color quinone**

[\[PDF\]](#) [EPA Sector Notebook Project - Profile of the Plastic Resin and ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

PPG Industries introduced resins for industrial paints with **lower** VOC. emissions and **reduced** solvent waste by modifying plant equipment and. processes. ...

www.p2pays.org/ref/01/00501.pdf - [Similar pages](#)

[\[PDF\]](#) [ANNUAL REPORT 1999](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

spectra reveal a tail towards **lower** pulse-heights as seen ... of the Delivery

Site of **Bisphenol** A in Phospholipid Bilayer ...

www.kuicr.kyoto-u.ac.jp/icr/report/icrar1999.pdf - [Similar pages](#)

[\[PDF\]](#) [Polymer Photochemistry](#)

File Format: PDF/Adobe Acrobat

ations formed micelles with a multi-core **lower** viscosity centre. Polyamidoamine

... This **low** threshold emission originates from a largely **reduced** ...

www.rsc.org/images/PC034007_tcm18-27004.pdf - [Similar pages](#)

[Method for preparing lithographic](#) [<a href=](#)"/.../indices ...

... R<2> represents alkyl (eg, preferably **lower** alkyl such as methyl, ethyl and

propyl), ... In addition to the above mentioned **low** molecular aromatic azide ...

gauss.bacon.su.se/EP/4/9/EP490515.html - 91k - [Cached](#) - [Similar pages](#)

[EP1128225 Canon european software patent - Magnetic toner and ...](#)

... they may have a **low** degree of black **color** and may provide a **low** coloring power

... Use of such magnetic fine particles may **lower** the uniformity required ...

gauss.ffii.org/PatentView/EP1128225 - 323k - [Cached](#) - [Similar pages](#)

[\[PDF\]](#) [OSHA Part 1915 - Occupational Safety and Health Standards for ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... (h) For purposes of 1915.74, the term "river tow boat" means a shallow draft, **low**

free board, self-propelled vessel designed to tow river barges by pushing ...

www.ccb.org/browsedocuments.py?CurrentCategoryUID=57&

action=Open&s1403=on&cache=4db3b4270aca2... - Supplemental Result - [Similar pages](#)

[\[PDF\]](#) [Derwent](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

surface and **lower** surface of light incidence sides (11b,12b) and are bonded.

mutually. ... stability. The residual **colors** after image formation are **reduced**. ...

scientific.thomson.com/ts/ media/dw/productpdfs/itppdfs/ijmeopt.pdf - [Similar pages](#)

[\[PDF\]](#) [Engineering polymers with uniform crystallisable units](#)

File Format: PDF/Adobe Acrobat

The peak of the **low** molecular weight fraction is shifted to **lower** value as ...

OH chains of **low** molecular weight, such as by the **quinone** coupling reaction ...

purl.org/utwente/fid/1046 - [Similar pages](#)

Fresh Patents-Cyan toner and method for forming an image patent ...

... to the surface of the **molten** toner particles ... through condensation polymerization
of a **bisphenol** derivative represented ... 1) using a resin with **low** surface energy ...


www.freshpatents.com/ Cyan-toner-and-method-for-forming-an-image-dt20041021ptan20040209178.php - 101k -
Supplemental Result - [Cached](#) - [Similar pages](#)

AND AND-OR AND-OR-INVERT AND-circuit AND/NOR AND/OR ANIP ANS ANSI ...

... bisobrin bison bisoxatin bisphenoid **bisphenol bisphenol**-epichlorohydrin ...

low-voltage low-water loweite lower lower-feed lower-level lower-limit ...

angelos.info.kanagawa-u.ac.jp/ tgl/Lecture/DataforExp/wordE100KS.dat - 1182k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

bisphenol molten and (low or lowe

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)

bisphenol molten and (low or lower or lower

[Advanced Search](#)
[Preferences](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 119 for **bisphenol molten and (low or lower or lowered or reduced) color qui**

Process for etching nonphotosensitive layer under washoff ...

The **lower** layer is nonphotosensitive and comprises a caustic or water soluble

... In use, a printer desiring to prepare full **color** prints of a process ...

freepatentsonline.com/4584261.html - 48k - [Cached](#) - [Similar pages](#)

Siloxane-containing polymers - Patent 4480009

Q can also be an aliphatic group; these tend to result in **lower** thermal resistance

... Two portions, each containing 5 parts by weight of a liquid **bisphenol** ...

freepatentsonline.com/4480009.html - 255k - [Cached](#) - [Similar pages](#)

[[More results from freepatentsonline.com](#)]

[PDF] 1 The Historical Development of Polyesters

File Format: PDF/Adobe Acrobat - [View as HTML](#)

and which could also be further crystallised at temperatures **lower** by about. 30.

◦. C than the yarns of very **low** orientation (LOYs) and crystallinity ...

media.wiley.com/product_data/ excerpt/64/04714985/0471498564.pdf - [Similar pages](#)

[PDF] The Presidential Green Chemistry Challenge Awards Program Summary ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The cost of product purification and waste disposal is **reduced** sub-. stantially.

In addition, the **lower** temperature operations afforded by the LOR process ...

www.epa.gov/greenchemistry/ docs/award_entries_and_recipients1997.pdf - [Similar pages](#)

EP1333335 Ricoh european software patent - Developing method for ...

[0155] As for the tri- or higher polyhydric carboxylic acid or its **lower** alkylester

or ... [0255] A **color** image forming apparatus to which the illustrative ...

gauss.ffii.org/PatentView/EP1333335 - 163k - [Cached](#) - [Similar pages](#)

Method for manufacturing liquid jet recording head.

... which is not **lower** than 30 DEG C but not higher than 70 DEG C. In other words,

... Here, since the ODUR - 1010 has a **low** viscosity, it is impossible to ...

gauss.bacon.su.se/EP/5/7/EP573023.html - 117k - [Cached](#) - [Similar pages](#)

Bandwidth Market, Ltd

However, fine particles having **lower** particle size tends to coagulate ... in air

had been **reduced** by a HEPA filter, a **molten** resin was extruded through a ...

www.bandwidthmarket.com/resources/ patents/apps/2001/6/20010005278.html - 206k - [Cached](#) - [Similar pages](#)

Heterocyclic aromatic anion salts, and their uses as ionic ...

Among these cations, those which give an ionic compound according to the invention

in which the melting point is **lower** than 150° C. are particularly ...

www.patentstorm.us/patents/6171522.html - 137k - [Cached](#) - [Similar pages](#)

Discussion Forum:Polyester Resin

Free radicals formed from peroxides are initially consumed by **quinone** inhibitors and

... (**Lower** cost, higher strength, **low** HDT). Maleic anhydride ...


www.vetrotex.co.in/examples/jsp/DiscussionForum/display_topic_threads.jsp?ForumID=5&TopicID=42 - 146k - [Cached](#) - [Similar pages](#)

[5189734 Cellular radio system 455/33.2 5189733 Application program ...](#)
... composition comprising glycidyl ether of **bisphenol** modified with ... zinc bromide battery
[429/199 5188914 Low temperature molten](#) compositions comprised ...
world.std.com/obi/Patents/Titles/930223 - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 **Next**



Free! Instantly find your email, files, media and web history. [Download now.](#)

bisphenol molten and (low or lowe

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)

(copolycarbonate or polycarbonate) and bisph

Search

[Advanced Search](#)
[Preferences](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Web Results 1 - 2 of about 5 for (copolycarbonate or polycarbonate) and bisphenol molten and (low or lo

United States Patent Application: 0050171322

Process for the production of copolycarbonates with **reduced color** ... is preferred

for use in melt **Polycarbonate** synthesis due to its **lower** molecular weight ...

appft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO2& Sect2=HITOFF&p=1&u=%2Fmetahtml%2FPTO%2Fsearch-

... - 85k - Supplemental Result - [Cached](#) - [Similar pages](#)

United States Patent Application: 0050048252

... each q.sup.1 is independently halogen, primary or secondary **lower** alkyl (eg

... These resins may also form carbonized "black specks" or degrade in **color** ...

appft1.uspto.gov/.../ 20050048252&RS=DN/20050048252 - 153k - Supplemental Result -

[Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 2 already displayed.

If you like, you can repeat the search with the omitted results included.

Try your search again on [Google Book Search](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

(copolycarbonate or polycarbonate) **Search**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google